



Screwdrivers



1/4" Direct Drive Screwdrivers

Composite Housing Screwdrivers

- Quick change bit holder.
- Top mount reverse valve - Easy to switch direction - One hand.
- Low Noise 72 - 76 dBA
- Powerful 7 Vane Motor
- Output power 30% more than other models.
- **Lightweight, Ergonomic easy grip.**
- For a wide variety of soft draw applications i.e. wood, self tapping or trim screws.



**A39BPD
A58BPD**



- Ball bearing construction.
- Muffled handle for quiet operation.
- New rubber grip handle.
- Planetary gearing.
- Variable speed trigger.



8704



8705



1/4" Impact Clutch Screwdrivers

These Screwdrivers offers quick and powerful operation in driving screws and removing screws for highest productivity. The Quick-change power bit holder allows instant change of bit for operations.

7254P

- Composite Motor Housing.
- Two speed trigger.
- Patented Silencer (84 dB(A))
- Handle Exhaust.
- Powerful .5 hp motor.



7254P



6SSLD

Specifications:

Also available in 3/8" square drive.

Model	Speed (rpm)	Bit Size (in.)	Air Inlet (NPT)	Air Pressure (psi)	Aver. Air Consumption (cfm)	Torque (in./lbs.)	Length (in.)	Weight (lbs.)	Hose Size (ID)
A39BPD	1,600	1/4	1/4"	90	5	44	5-1/2	1.1	3/8"
A58BPD	750	1/4	1/4"	90	9.5	115	6-1/3	1.6	3/8"
8704	800	1/4	1/4"	90	4	145	7	3	3/8"
8705	1,800	1/4	1/4"	90	4	115	6-1/2	4	3/8"
7254P	11,000	1/4	1/4"	90	4	70 ft/lbs.	6-1/8	2.2	3/8"
6SSLD	7,300	1/4	1/4"	90	10.5	50	7-61/64	2	3/8"

All Screwdrivers - 1/4" Hex Power Bit.

Screwdrivers

Industrial 1/4" Positive Clutch Screwdrivers

Composite Housing Screwdrivers

- **Lightweight**, Ergonomic easy grip.
- Powerful 7 Vane Motor.
- Output power 30% more than other models.
- Top mount reverse valve - Easy to switch direction - One hand.
- Low Noise 72 - 76 dBA



A39PS
A58PS



- Top mount reverse valve.
- Ergonomic handle design.
- Variable speed tease throttle.
- Built-in comfort grip.



8140



8160

Industrial 1/4" Adjustable Clutch Screwdrivers

Composite Housing Screwdrivers

- Quick change bit holder.
- Powerful 7 Vane Motor
- Output power 30% more than other models.
- Low vibration clutch
- **Lightweight**, Ergonomic easy grip.
- External Clutch Adjustment.
- Top mount reverse valve - Easy to switch direction - One hand.
- Low Noise 72 - 76 dBA.



A39BPN
A58BPN

Specifications:

Model	Speed (rpm)	Bit Size (in.)	Air Inlet (NPT)	Air Pressure (psi)	Aver. Air Consumption (cfm)	Torque (in./lbs.)	Length (in.)	Weight (lbs.)	Hose Size (ID)
A39PS	1,600	1/4	1/4"	90	5	44	5-1/2	1-1/3	3/8"
A58PS	750	1/4	1/4"	90	9.5	115	6-1/2	2	3/8"
8140	1,800	1/4	1/4"	90	4	115	7	2-1/3	3/8"
8160	800	1/4	1/4"	90	4	145	8-1/2	2-2/3	3/8"
A39BPN	1,600	1/4	1/4"	90	5	4.5 - 35	5-1/2	1-1/3	3/8"
A58BPN	750	1/4	1/4"	90	9.5	9 - 79	6-1/2	2	3/8"

All Screwdrivers - 1/4" Hex Power Bit.

Screwdrivers

Industrial 1/4" Adjustable Clutch Screwdrivers

- Top mount reverse valve.
- Ergonomic handle design.
- Variable speed tease throttle.
- Built-in comfort grip.



8120



8130

Industrial

- Excellent power-to-weight ratio, handles tough jobs with minimal operator fatigue.



842



843

Industrial

1/4" Auto Shut-Off Screwdrivers

Composite Housing Screwdrivers

- Air Motor will automatically stop when the load reaches the pre-set torque. Torque accuracy repeatable to + / - 3%.
- Powerful 7 Vane Motor
- **Lightweight, Ergonomic easy grip.**
- Push-to-Start system. (Pistol Grip Push-to-Start Lever Permit).
- Trigger Lock feature. (Pistol only)
- Top mount reverse valve - Easy to switch direction - One hand.
- External Clutch Adjustment.
- Torque Adjusting Cover c/w Tool. (Straight & Angle)

A55PBP & A60PBP



A55BP & A60BP



A55AB & A60AB

Specifications:

Model	Speed (rpm)	(in.)	Air Inlet (NPT)	Air Pressure (psi)	Aver. Air Consumption (cfm)	Torque (in./lbs.)	Length (in.)	Weight (lbs.)	Hose Size (ID)
8120	1,800	1/4	1/4"	90	4	45 - 115	7	2-1/3	3/8"
8130	800	1/4	1/4"	90	4	45 - 145	8-1/2	2-2/3	3/8"
842	1,800	1/4	1/4"	90	4	45 - 115	10	2-1/2	3/8"
843	800	1/4	1/4"	90	4	45 - 145	11	2-2/3	3/8"
A55PBP	1,000	1/4	1/4"	90	9.5	11 - 65	10	2	3/8"
A60PBP	550	1/4	1/4"	90	9.5	26 - 95	10	2	3/8"
A55BP	1,000	1/4	1/4"	90	9.5	6 - 56	8-1/2	1-3/4	3/8"
A60BP	550	1/4	1/4"	90	9.5	13 - 82	8-1/2	1-3/4	3/8"
A55AB	1,000	1/4	1/4	90	9.5	6 - 56	13-3/16	2-7/8	3/8"
A60AB	550	1/4	1/4	90	9.5	13 - 82	13-3/16	2-7/8	3/8"

All Screwdrivers - 1/4" Hex Power Bit. Output power 30% more than other models. Low Noise 72 - 76 dBA.



Pneutool Parts & Service Co. Ltd.

33 Haas Road, Toronto, On M9W 3A1 Tel: 416-748-1200

Toll Free: 1-888-748-1201 Fax: 416-748-2695

E-mail: sales@pneutool.com www.pneutool.com