

POP[®]

Manual and Power Rivet Tools



POPSet™ Rivet Hand Tools

The NEW range of POP® manually operated rivet tools are ideal for a wide range of applications – including Repair & Maintenance, Roofing & Flashing, Heating, Ventilation, Air-conditioning and Sheet Metal Construction.

All POP® Rivet Hand Tool models have been designed to offer the user the best features available in the market today. These tools offer the quality, durability and reliability that is expected from Genuine POP® Rivet Tools.



Rivet Tool Application Guide

Maximum Rivet Capacity

5/32" (4.0mm)
Steel Open End
3/16" (4.8mm)
All materials
1/4" (6.4mm)
Aluminium
1/4" (6.4mm)
All materials

| Tool Model | Description | 5/32" (4.0mm) Steel Open End | 3/16" (4.8mm) All materials | 1/4" (6.4mm) Aluminium | 1/4" (6.4mm) All materials |
|--------------|--|---------------------------------|--------------------------------|---------------------------|-------------------------------|
| PS15 | Portable lightweight tool suitable for maintenance & repair, and site work | | ✓* | | |
| PS20 | Robust lazy tong tool suitable for limited lateral access, and site work | | | ✓ | |
| PS25 | Heavy Duty lazy tong tool suitable for limited lateral access, and site work | | | | ✓ |
| PS40 | Professional robust lever tool suitable for sheet metal construction | | | ✓ | |
| PS45 | Heavy Duty lever tool suitable for sheet metal construction | | | | ✓ |
| ProSet® 1600 | Lightweight pneumatic tool with high force-to-weight ratio | ✓ | | | |
| ProSet® 2500 | Medium Range pneumatic tool with high force-to-weight ratio | | ✓ | | |
| ProSet® 3400 | High Capacity pneumatic tool suitable for setting all POP® rivets | | | | ✓ |
| MCS5800 | Cordless rechargeable battery tool for use without access to compressed air | | ✓ | | |

* Aluminum only

PS15

Professional Hand Plier Rivet Tool

- Robust aluminum casting and vanadium steel handle design
- Setting capacity: Aluminum rivets up to 3/16" (4.8/5.0mm) body diameter
- Contoured handle grips for comfort
- Rivet retaining handle design for one-handed riveting
- Handle spring and clasp upgrade available separately
- Supplied with nosepieces for 3/32", 1/8", 5/32" & 3/16" (2.4mm, 3.2mm, 4.0mm & 4.8mm) rivets
- Supplied with nosepiece wrench
- Length: 9.65 in. (245mm), Weight: 1.3 lb. (0.6kg)





PS20

Lazy Tong Rivet Tool

- Professional standard, robust aluminum and steel construction
- Steel linkage system for improved mechanical advantage
- Setting capacity: Stainless Steel rivets up to 3/16" (4.8/5.0mm) & 1/4" (6.4mm) Aluminum
- Supplied with nosepieces for 1/8", 5/32", 3/16", 6.0mm & 1/4" (3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm) rivets
- Supplied with nosepiece wrench that doubles as a lever lock
- Length: 12 in. (305mm) closed, 31.7 in. (805mm) extended, Weight: 4.6 lb. (2.10kg)



PS25

Heavy Duty Lazy Tong Rivet Tool

- Heavy duty grade, robust aluminum and steel construction
- Strong steel linkage system for improved mechanical advantage
- Setting capacity: all rivets up to 1/4" (6.4mm) body diameter including high strength
- Supplied with nosepieces for 1/8", 5/32", 3/16", 6.0mm & 1/4" (3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm) rivets
- Supplied with nosepiece wrench that doubles as a lever lock
- Length: 12 in. (305mm) closed, 31.7 in. (805mm) extended, Weight: 5.1 lb. (2.30kg)

PS40

Lever Rivet Tool

- Professional standard, robust steel construction
- Setting capacity: Stainless Steel rivets up to 3/16" (4.8/5.0mm) & 1/4" (6.4mm) Aluminum
- Supplied with nosepieces for 1/8", 5/32", 3/16", 6.0mm & 1/4" (3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm) rivets
- Supplied with nosepiece wrench
- Integral removable mandrel collector
- Length: 20.3 in. (515mm), Weight: 4.3 lb. (1.95kg)



PS45

Heavy Duty Lever Rivet Tool

- Telescopic levered high-capacity rivet tool
- Heavy duty grade, robust steel construction
- Setting capacity: all rivets up to 1/4" (6.4mm) body diameter including high strength
- Two-position telescopic levers extend to maximize leverage and pulling force
- Non-extended position makes tool more compact
- Integral removable mandrel collector
- Supplied with nosepieces for 1/8", 5/32", 3/16", 6.0mm & 1/4" (3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm) rivets
- Supplied with nosepiece wrench
- Length: 19.3 in. (490mm), 26.2 in. (665mm) extended, Weight: 5.7 lb. (2.60kg)



ProSet® Power Rivet Tools

POP® ProSet® power rivet tools set a new standard for pneumatic rivet tools. With lightweight polymer construction and a high force-to-weight ratio – POP® ProSet® rivet tools keep your production lines running at full speed while reducing user fatigue.

ProSet® 1600

Great power in a reliable, lightweight and compact rivet tool

- Capable of setting from 2.0mm to 5/32" (4.0mm) rivets
- Lightweight polymer construction 2.29 lb. (1.04kg)
- High force-to-weight ratio 476 lbf/lb. (4.6kN/kg)
- Comfortable two finger, low activation force trigger
- Quick Disconnect front-end assembly
- Energy saving On/Off, left or right swivel air fitting
- POP® Rivet Presenter Compatible



ProSet® 2500

The new standard for pneumatic rivet tools

- Capable of setting from 3/32" (2.4/3.0mm) Aluminum Rivets to 3/16" (4.8/5.0mm) Stainless Steel Rivets
- Lightweight polymer construction 2.89 lb. (1.31kg)
- High force-to-weight ratio 730 lbf/lb. (7.18kN/kg)
- Comfortable two finger, low activation force trigger
- Quick Disconnect front-end assembly
- Spring Return for a reliable fast setting cycle
- POP® Rivet Presenter and SmartSet® Rivet Monitor compatible



Coming soon

ProSet® 3400

High capacity pneumatic rivet tool

- Capable of setting **the full range** of POP® rivets up to 1/4" (6.4mm) Stainless Steel including high strength
- Includes all the design features and benefits of the 1600 and 2500 models



MCS5800

Cordless rechargeable battery tool

- Ideal for applications where compressed air is not available
- Setting capacity - rivets up to 3/16" (4.8/5.0mm)
- Supplied with steel carry case and charger
- Length: 10.4 in. (265mm) (7.76 in. [197mm] without collector)
- Weight: 4.85 lb. (2.2kg)

POP® Rivet Tools and POP® Brand Rivets

Setting the standard in fastening solutions

To maximize the performance of your POP® Rivet Tool -
Always specify genuine POP® Rivets.

Choose from the extensive range of POP® blind rivets available.



Your Genuine POP® Distributor:

Pneutool Parts & Service Co. Ltd.

33 Haas Road, Toronto On M9W 3A1

Tel: 416-748-1200 Toll Free: 1-800-748-1201

Fax: 416-748-2695 E-mail: sales@pneutool.com