

DRILLS

709, 709-R, 709-R-1/2 & 710

- Needle bearing construction (709-R-1/2 only)
- Ball bearing construction.
- Planetary gearing for heavy duty usage.

Automotive **709**
3/8" Angle Drill



The 709, 709R, 709-R-1/2 & 710 **Specialty Drills** are designed to get into hard to reach areas where pistol types are not accessible.

Automotive **709-R**
3/8" Reversible Angle Drill



Industrial **709-R-1/2**
1/2" Reversible Angle Drill



Automotive **710**
3/8" Straight Drill



A26PD, A48PD & A62PD

Composite Housing Drills

- Industrial quality drill chuck.
- Powerful 7 Vane Motor
- Top mount reverse valve - Easy to switch direction - One hand.
- Output power 30% more than other models.
- **Lightweight, Ergonomic easy grip.**
- Low Noise 72 - 76 dBA
- Available with Keyless Chucks on request.

Industrial **A26PD**
1/4" Reversible Drill



Industrial **A48PD**
3/8" Reversible Drill

A62PD
1/2" Reversible Drill



Specifications:

Model	Speed (rpm)	Chuck Size (in.)	Aver. Air Consumption (cfm)	Air Pressure (psi)	Spindle Thread (in.)	Length (in.)	Weight (lbs.)	Hose Size (ID)
709	1,900	3/8	4	90	3/8"-24	8	2-1/2	3/8"
709-R	1,400	3/8	4	90	3/8"-24	7	2-1/2	3/8"
709-R-1/2	1,200	1/2	4	90	3/8"-24	8	2-1/2	3/8"
710	2,600	3/8	4	90	3/8"-24	8-1/2	2	3/8"
A26PD	2,900	1/4	5	90	3/8"-24	5-1/2	1-1/3	3/8"
A48PD	1,700	3/8	9.5	90	3/8"-24	6-1/4	2	3/8"
A62PD	750	1/2	9.5	90	3/8"-24	6-1/4	2-1/2	3/8"

Air Inlet - 1/4" NPT

Drills

701, 703, 704, 705, 705K

- Ball bearing construction.
- Planetary gearing for heavy duty usage.
- Variable speed tease throttle.
- Muffled handle for quiet operation.
- Cushion grip handle.



701 3/8" Drill

7010, 7010K, 7030, 7040 7050 & 7050K

- Ergonomic handle design.
- Variable speed tease throttle.
- Built-in comfort grip.
- Rear exhaust.
- Rotating air inlet.



7010 3/8" Drill



**7010K
3/8" Drill c/w
Keyless Chuck**



705 3/8" Reversible Drill



**705K
3/8" Rev. Drill c/w
Keyless Chuck**



7050 3/8" Reversible Drill



**7050K
3/8" Rev. Drill
c/w Keyless Chuck**



703 1/2" Drill



7030 1/2" Drill



**704
1/2" Reversible Drill**



**7040
1/2" Reversible Drill**

Specifications:

Model	Speed (rpm)	Chuck Size (in.)	Aver. Air Consumption (cfm)	Air Pressure (psi)	Spindle Thread (in.)	Length (in.)	Weight (lbs.)	Hose Size (ID)
701	2,200	3/8	4	90	3/8"-24	6-1/2	2-1/2	3/8"
7010 & 7010K	2,600	3/8	4	90	3/8"-24	7-1/4	2.6	3/8"
705 & 705K	1,800	3/8	4	90	3/8"-24	6-1/2	3	3/8"
7050 & 7050K	1,800	3/8	4	90	3/8"-24	7-1/4	2.9	3/8"
703 & 7030	500	1/2	4	90	3/8"-24	7 / 9-3/16	4	3/8"
704 & 7040	800	1/2	4	90	3/8"-24	7 / 8-13/16	4	3/8"

All Drills c/w heavy duty industrial chucks. Air Inlet - 1/4" NPT

Drills



7538

- Dead Handle moveable to either side of housing.
- D-Type Handle with inside trigger.
- Compact Design.
- Powerful 1 hp motor (820 watts)
- Industrial quality chuck.

7538 1/2" Drill



Specifications:

Model	Speed (rpm)	Chuck Size (in.)	Aver. Air Consumption (cfm)	Air Pressure (psi)	Spindle Thread (in.)	Length (in.)	Weight (lbs.)	Air Inlet (NPT)	Hose Size (ID)
7538	800	1/2	30	90	1/2"-20	12-15/16"	7-1/5	3/8"	1/2"



These air drills are powerful, lightweight, heavy duty tools that you have come to expect from **Top Cat** tools. This series tools have two (2) planetary gear trains to increase the torque. The gear layout features very large external bearings on the planet gears making the gear train bullet-proof. Made from quality components in the U.S.



400DRA5MK
3/8" Angle Drill

400DRA21MK
1/2" Angle Drill

500D2M & 507D2M
3/4" 'D' Handle Drills



Dead Handle included.
Exhaust Direction - Side
Body Diameter - 2.5" / 64 mm



500FD1M & 507FD1M
'T' Handle Drills



Throttle Type - (L) Lever
(K) Safety Lever

Allows repetitive floor drilling tasks to be performed from a standing position.

Specifications:

Model	Chuck Capacity	Speed	Power Output	Weight		Length	Air Consumption	Air Inlet (NPT)	Hose Size
	in.			rpm	hp				
400DRA5MK	3/8	2,000	1.2	4.9	5.5	8.87	35	3/8"	1/2"
400DRA21MK	1/2	440	1.2	4.9	5.5	9.39	35	3/8"	1/2"
500D2M	1/2 or 3/4	1,000	1.5	-	10.8	17.4	35	1/2"	1/2"
507D2M	1/2 or 3/4	400-900	1.5	-	10.8	18	35	1/2"	1/2"
500FD1M	1/2 or 3/4	4,000	1.5	-	10	36.8	35	1/2"	1/2"
507FD1MK		1,750-3,600	1.5	-	10	38.2	35	1/2"	1/2"

Drills

1/4" & 3/8" & 1/2" Drill Chucks



Keyed

KHN21050 -1/4" Capacity
3/8"-24 Spindle Thread

KHN21051 -3/8" Capacity
3/8"-24 Spindle Thread

KHN21052 -3/8" Capacity
1/2"-20 Spindle Thread

KHN21053 -1/2" Capacity
3/8"-24 Spindle Thread

KHN21027 -1/2" Capacity
1/2"-20 Spindle Thread



Suitable for heavy duty drilling. High speed drilling, superior gripping power.



Keyless

KHN31011 -3/8" Capacity
3/8"-24 Spindle Thread

KHN31012 -3/8" Capacity
1/2"-20 Spindle Thread

KHN31013 -1/2" Capacity
3/8"-24 Spindle Thread

KHN31014 -1/2" Capacity
1/2"-20 Spindle Thread



Locking Keyless Drill Chucks. Rotating sleeve "locks" chuck for safety. Simply turn sleeve until it clicks. For portable air and electric drills.



Keyless

KHN31021 -3/8" Capacity
3/8"-24 Spindle Thread

KHN31022 -3/8" Capacity
1/2"-20 Spindle Thread



Super Grip, no hand tightening required. No bit slippage. More powerful than conventional chucks. Easy to grip and release bits by using the forward and reverse on drill. Must be used on reversible drills.



Keyless

KHN14007 -3/8" Capacity
1/2"-20 Spindle Thread

KHN14008 -3/8" Capacity
3/8"-24 Spindle Thread



Precision Self-Tightening automatic gripping power. Rigid construction superior to other brands.



Keyless

KHN31029 -1/2" Capacity
3/8"-24 Spindle Thread

KHN31030 -1/2" Capacity
1/2"-20 Spindle Thread



All Steel Super Duty. Rotating sleeve "locks" chuck for safety. Simply turn sleeve until it clicks. c/w carbide inserts in jaws. For portable air and electric drills.

Economy Automotive Drill Chucks




4G61 - 3/8" Capacity
3/8"-24 Spindle Thread



8K61 - 1/2" Capacity
3/8"-24 Spindle Thread



Certain models now available carded for POP displays.



KHN21009 - 3/8" Capacity
3/8"-24 Spindle Thread



Keyless

KHN31003 - 3/8" Capacity
3/8"-24 Spindle Thread




Chuck Keys & Adaptors



KG - Chuck Key
3/8" Capacity



KK - Chuck Key
1/2" Capacity



K5A - Chuck Key
1/4" Capacity



S2 -Chuck Key
3/8" Capacity



CK-5 - Chuck Key
1/2" Capacity



QC250 -1/4" Screwdriver
Chuck



Converts any Drill with a 3/8"-24 Spindle Thread into 1/4" Screwdriver.



KHN81008 -1/4" Hex
Drill Chuck Adaptor



Converts your Screwdriver into a 3/8"-24 Spindle Thread Drill. (Chuck sold separately).



Pneutool Parts & Service Co. Ltd.

33 Haas Road, Toronto, On M9W 3A1

Tel: 416-748-1200 Toll Free: 1-888-748-1201

Fax: 416-748-2695 E-mail: sales@pneutool.com

www.pneutool.com